

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/933,705	08/22/2001	Yukio Michishita	251768/00	6227
21254 75	590 01/12/2006		EXAMINER	
MCGINN INTELLECTUAL PROPERTY LAW GROUP, PLLC			BELLO, AGUSTIN	
8321 OLD COU SUITE 200	D COURTHOUSE ROAD		ART UNIT	PAPER NUMBER
VIENNA, VA	22182-3817		2633	
			DATE MAILED: 01/12/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		09/933,705	MICHISHITA, YUKIO		
		Examiner	Art Unit		
		Agustin Bello	2633		
D. J. J.	The MAILING DATE of this communication app	pears on the cover sheet with the c	orrespondence address		
THE - Exte after - If the - If NC - Failt Any earr	IORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. ensions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. The period for reply specified above is less than thirty (30) days, a reply operiod for reply is specified above, the maximum statutory period ware to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
·	Responsive to communication(s) filed on <u>27 O</u>				
	This action is FINAL. 2b) This action is non-final.				
3)	• • • • • • • • • • • • • • • • • • • •				
	closed in accordance with the practice under E	:х рапе Quayle, 1935 С.D. 11, 48	53 Q.G. 213.		
Disposit	ion of Claims				
5)□ 6)⊠ 7)□	Claim(s) 1.3-11.23 and 25-39 is/are pending in 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1.3-11.23 and 25-39 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.			
Applicat	ion Papers				
9)[The specification is objected to by the Examine	r.			
10)[D)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.				
	Applicant may not request that any objection to the	• • •	` '		
44)	Replacement drawing sheet(s) including the correct		•		
ווי ו	The oath or declaration is objected to by the Ex	raminer. Note the attached Office	Action or form PTO-152.		
Priority (under 35 U.S.C. § 119				
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Applicationity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage		
Attachmen	t(s)				
	e of References Cited (PTO-892)	4) Interview Summary			
3) 🔲 Infor	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate satent Application (PTO-152)		

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1, 3, 6, 23, 25 32, and 36, are rejected under 35 U.S.C. 102(e) as being anticipated by Yoneyama (U.S. Patent No. 6,301,404).

The applied reference has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Regarding claims 1, 23, and 32, Yoneyama teaches an optical transmission path monitoring system for monitoring optical transmission paths by wavelength-division multiplexing probe lights with signal lights of a wavelength division multiplexing optical transmission system, said optical transmission path monitoring system comprising: an optical fiber monitoring probe light (λ_{sv1} throughout) for monitoring optical fibers which constitute some parts of said optical transmission paths and an optical amplifier-repeater monitoring probe light (λ_{sv2} throughout) for monitoring optical amplifier-repeaters which constitute other parts of said

Application/Control Number: 09/933,705 Page 3

Art Unit: 2633

optical transmission paths (see also column 11 lines 13-20, 35-40). Yoneyama further teaches a wavelength of said optical fiber monitoring probe light is such a wavelength as makes a wavelength dispersion of group delays over a full length of said optical transmission paths negative (e.g. to the left of the zero dispersion wavelength as noted in Figure 9), and a wavelength of said optical amplifier-repeater monitoring probe light is such a wavelength as makes the wavelength dispersion of said group delays over the full length of the optical transmission paths positive (e.g. to the right of the zero dispersion wavelength as noted in Figure 10).

Regarding claim 3, 25, and 36, Yoneyama teaches that said optical transmission paths have a zero dispersion wavelength (inherent in all fibers) which makes a wavelength dispersion of group delays over a full length of said optical transmission paths zero; a wavelength of said optical fiber monitoring probe light is on a shorter wavelength side than said zero dispersion wavelength (as noted in Figure 9), and a wavelength of said optical amplifier-repeater monitoring probe light is on a longer wavelength side than said zero dispersion wavelength (as noted in Figure 10).

Regarding claims 6, Yoneyama teaches that said optical detecting means optically detects by a coherent light detecting system (column 11 line 26) light components transmitted by said loop back means and outputted from said inward optical transmission path.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

Art Unit: 2633

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. Claims 4-5, 7-11, 26-31, 33-35, and 37-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoneyama.

Regarding claims 4, 26, 33, and 34, Yoneyama teaches that said wavelength division multiplexing optical transmission system has two-core two-way optical transmission paths (e.g. "UP" "DOWN" paths shown in Figure 8), and is provided with a total of four probe lights (e.g. λ_{sv1} and λ_{sv2} from the left terminal in Figure 8, λ_{svX} and λ_{svY} from the right terminal in Figure 8) including said optical fiber monitoring probe light and said optical amplifier-repeater monitoring probe light delivering to each of the two outward optical transmission paths which said two-core two-way optical transmission paths have. Yoneyama differs from the claimed invention in that Yoneyama fails to specifically teach that every one of said four probe lights has a different wavelength from others. However, Yoneyama suggests as much by including two distinct transmission line supervisory circuits (reference numerals 47a, 47b in Figure 8) and by disclosing "multiple supervisory signals with different wavelengths" (column 15 lines 49-52). Given the design of Yoneyama's system wherein supervisory signals traverse the same paths in different directions, one skilled in the art would clearly have recognized the necessity for making each of the four supervisory signals different wavelengths. One skilled in the art would have been motivated to do so in order to avoid interference between each of the cross propagating supervisory wavelengths. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to allow every one of said four probe lights to have a different wavelength from others.

Art Unit: 2633

Regarding claims 5 and 27 Yoneyama teaches probe light generating means (reference numeral 47a in Figure 8) for generating said optical fiber monitoring probe lights and optical amplifier-repeater monitoring probe lights, multiplexing means (reference numeral 45a in Figure 8) for multiplexing said probe lights with signal lights and delivering the multiplexed lights to said outward optical transmission path (reference numeral 41a in Figure 8), loop back means (reference numeral 30 in Figure 8) for branching reflected light components generating from said probe lights from said outward optical transmission path and coupling the branched lights with signal lights on said inward optical transmission path, and optical detecting means (reference numeral 47a in Figure 8) detecting said light components transmitted by said loop back means and outputted from said inward optical transmission path, said optical transmission paths are monitored on the basis of the output of said optical detecting means (column 11 lines 13-19).

Regarding claim 28 and 39, Yoneyama teaches that said optical detecting means optically detects by a coherent light detecting system (column 11 line 26) light components transmitted by said loop back means and outputted from said inward optical transmission path.

Regarding claims 7, 29, and 38, Yoneyama differs from the claimed invention in that Yoneyama fails to specifically teach a coherent homodyne light detection system wherein light partially branched from said optical fiber monitoring probe light is used as local oscillating light. However, coherent homodyne detection systems such as that claimed by the applicant are very well known in the art. Furthermore, the applicant discloses that coherent light detection systems can be used in the system (column 11 line 26). One skilled in the art would have been motivated to use a coherent homodyne light detection system wherein light partially branched from said optical fiber monitoring probe light is used as a local oscillating light in order to detect a

Art Unit: 2633

difference between the received optical fiber monitoring probe light and the optical monitoring probe light emitted into the system, thereby allowing a measure of system parameters.

Therefore, it would have been obvious to one skilled in the art at the time the invention was made to use a coherent homodyne light detection system wherein light partially branched from said optical fiber monitoring probe light is used as local oscillating light.

Regarding claims 8 and 30, Yoneyama appears to teach said optical detecting means optically detects by a direct light detecting system (reference numeral 47a in Figure 8) said light components transmitted by said loop back means and outputted from said inward optical transmission path.

Regarding claims 9-10, 35, Yoneyama teaches that said loop back means comprises two 2x2 optical couplers (reference numerals 32a, 32b, 33a, 33b, in Figure 7) inserted into said optical transmission paths and mutually connected by one each of optical terminals, and further comprising light reflecting means (reference numeral 32d, 32e, 33d, 33e in Figure 7).

Regarding claims 11, 31, and 35, Yoneyama differs from the claimed invention in that Yoneyama fails to specifically teach means for alternatively selecting said optical fiber monitoring probe lights and optical amplifier-repeater monitoring probe lights for supply said outward optical transmission path, and monitoring the optical fibers and the optical amplifier-repeaters on a time-division basis. However, time division multiplexing of optical signals is well known in the art and would have been obvious to one skilled in the art at the time the invention was made. One skilled in the art would have been motivated to incorporate time division multiplexing in to the system of Yoneyama in order to limit the amount of bandwidth occupied by the monitoring signals.

Art Unit: 2633

Regarding claim 37, Yoneyama teaches that said optical transmission paths have a zero dispersion wavelength (inherent in all fibers) which makes a wavelength dispersion of group delays over a full length of said optical transmission paths zero; a wavelength of said optical fiber monitoring probe light is on a shorter wavelength side than said zero dispersion wavelength (as noted in Figure 9), and a wavelength of said optical amplifier-repeater monitoring probe light is on a longer wavelength side than said zero dispersion wavelength (as noted in Figure 10).

Response to Arguments

Applicant's arguments filed 10/27/05 have been fully considered but they are not persuasive. The examiner maintains that the cited references teach the limitations of the claimed invention. Furthermore, the examiner asserts that the Yoneyama's disclosure of probe lights is consistent with the applicant's own disclosure when it comes to the their effects on dispersion. Moreover, to directly rebut the applicant's contention that the monitoring signals of Yoneyama only monitor the optical fibers, the examiner notes that the supervisory signals of Yoneyama traverse both the fiber and the optical amplifiers of the system, and therefore, are capable of monitoring both the optical fiber and the amplifiers of the system.

- 5. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., "with/without using Rayleigh backward scattering effect") are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).
- 6. In response to applicant's argument that the monitoring probe lights of Yoneyama are not capable of monitoring both the optical fibers and optical amplifiers of the system and that the

Art Unit: 2633

wavelengths of the probe lights do not have the claimed effect on dispersion in the system, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim.

Conclusion

7. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Agustin Bello whose telephone number is (571) 272-3026. The examiner can normally be reached on M-F 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on (571)272-3022. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2633

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AB

AGUSTIN BELLO PRIMARY EXAMINER